

WARNING

KEEP OUT OF REACH OF CHILDREN
For Animal Treatment Only



COMBINATION SHEEP DRENCH

A broad spectrum oral combination (containing albendazole and levamisole) sheep drench for the control of susceptible gastrintestinal roundworms and lungworms in sheep and lambs including benzimidazole and levamisole resistant strains. Also contains minerals to provide supplementary nutritional support.

INGREDIENTS:

Albendazole 23.8mg/mL, Levamisole HCl 37.5mg/mL, Selenium 0.5mg/mL (as sodium selenate 1.2mg/mL)
Cobalt 0.3mg/mL, Copper 2.1mg/mL, Zinc 0.6mg/mL

NET CONTENTS

20 Litre



COMBINATION SHEEP DRENCH



WARNING

Dangerous to the Environment

Very toxic to aquatic organisms. Avoid contamination of any water supply with product or empty container. Harmful to the soil environment. Avoid release to the environment.

PLEASE READ LABEL COMPLETELY BEFORE USE

PRECAUTIONS: Do not use at the same time as any other selenised fertiliser, prill or product without consulting a veterinarian. Do not exceed stated dose or dose more frequently than three weekly. In sheep, liver levels of copper may be quite variable. Consequently, there is always a risk of copper poisoning (deaths) occurring following copper supplementation in this species. Doses of 3 or more times those recommended can cause symptoms of levamisole toxicity, so estimate liveweights carefully. Dehydrated animals may be more susceptible to toxicity. Fatal interactions may occur between levamisole and organophosphate dips. Do not eat, drink or smoke when using this product.

HANDLING PRECAUTIONS: May be harmful if swallowed. Repeated exposure may cause skin allergy and mild skin irritation. Albendazole and levamisole hydrochloride may possibly cause damage to genetic material and may affect development and/or reproduction. Levamisole hydrochloride may possibly affect blood and the haemopoietic system. Avoid skin contact. Wear gloves when decanting.

FIRST AID:

If swallowed, Do NOT induce vomiting. For advice contact a doctor or the National Poisons Centre 0800 POISON (0800 764 766) immediately.

If skin or hair contact occurs, remove contaminated clothing and wash skin thoroughly. If splashed in eyes, flush immediately with copious amounts of water.

EMERGENCY RESPONSE

In case of spillage wear appropriate clothing and prevent material from entering waterways. Absorb spills with inert material and place in waste containers. Wash area with water and absorb with further inert material. Dispose of waste safely.

DISPOSAL:

Preferably dispose of product by use. Otherwise dispose of product and packaging at an approved landfill or other approved facility.

INDICATIONS

Contains albendazole 23.8mg/mL (a member of the benzimidazole family), levamisole HCL 37.5mg/mL (an imidazothiazole derivative), selenium 0.5mg/mL, cobalt 0.3mg/mL, copper 2.1mg/mL, zinc 0.6mg/mL. For the treatment of tapeworms, liver fluke and the following susceptible adult and immature stages of gastrointestinal roundworms (may not control strains that are resistant to both benzimidazoles and imidazothiazoles) and lungworms, including benzimidazole and levamisole resistant strains: *Haemonchus contortus*, *Ostertagia spp.*, *Trichostrongylus spp.*, *Nematodirus spp.*, *Cooperia spp.*, *Strongyloides papillosus*, *Bunostomum trigonocephalum*, *Chabertia ovina*, *Oesophagostomum venulosum*, *Trichuris ovis (adults only)*, *Moniezia expansa (segments only)*, *Dictyocaulus spp.*, *Muellerius capillaris*, *Liver fluke (adults only)*. Also reduces the output of roundworm and fluke eggs.

RESISTANCE MANAGEMENT

Resistance can develop to any anthelmintic. Ask your local animal health advisor or veterinary practitioner for recommended parasite management practices for your area to reduce the development of resistance. It is advised that a resistance test be carried out regularly when using any parasite treatment.

DIRECTIONS FOR USE

By law the user must take due care, obtaining expert advice when necessary, to avoid unnecessary pain and distress when using the product other than as directed on the label. Shake well before use. For oral dosing only. Combination Sheep Drench is a ready to use oral anthelmintic that can be dosed through standard drenching equipment. It is important to give the correct dose. Therefore, before treatment, weigh a representative sample of sheep to determine the weight of the heaviest animal. Where there is a large variation in liveweights, drafting into two or more lines may be appropriate before weighing and treating, to avoid under and overdosing. In this situation it is important to choose the dose rate based on the label recommendation for each weight band. Use correct drenching techniques and check accuracy of drenching equipment regularly. Wash out drench gun thoroughly with water before and after use.

DOSE CHART

Oral dose rate sheep: 1mL/5kg (equivalent to 4.75 mg/kg albendazole and 7.5 mg/kg levamisole HCl 0.1mg/kg selenium, 0.06mg/kg cobalt, 0.4mg/kg copper, 0.1mg/kg zinc)

ANIMAL WEIGHT	DOSE	NO. OF DOSES PER 20L PACK
15 kg	3 mL	6666
16-20 kg	4 mL	5000
21-25 kg	5 mL	4000
26-30 kg	6 mL	3333
31-35 kg	7 mL	2857
36-40 kg	8 mL	2500
41-45 kg	9 mL	2222
46-50 kg	10 mL	2000
51-55 kg	11 mL	1818
56-60 kg	12 mL	1666
61-65 kg	13 mL	1538
66-70 kg	14 mL	1428

Over 70kg dose at the rate of 1mL/5 kg.

It is an offence for users of this product to cause residues exceeding the relevant MRL in the Food Notice: Maximum Residue Levels for Agricultural Compounds.

WITHHOLDING PERIODS

MEAT: Sheep producing meat or offal for sale for human consumption must not be sold for slaughter either during treatment or within 10 days of the last treatment.

MILK: Milk intended for sale for human consumption must be discarded during treatment and for not less than 35 days following the last treatment.

STORAGE

Store locked up in original container, tightly closed, in cool, dry conditions. Protect from light. Avoid temperatures below 0° and above 30°C.

Registered Pursuant to the ACVM Act 1997, No. A9764. See www.foodsafety.govt.nz for registration conditions.

Registered to: Seneca Holdings Limited
Distributed by: Animal Health Direct Ltd.
1229 Maraekakaho Road, Longlands,
Hastings, New Zealand.
sales@ahdLtd.co.nz. Ph (06) 873 3611.

Batch No.:

Expiry date:



9 417726 702537